

1/7




FIG. 1

10039125.070802

2/7




FIG. 2

10039125-070802

3/7




FIG. 3

10039125-070802

4/7




FIG. 4

10039125-070802

5/7

Policy Table

Services	Eligibility	SAN Address	Weight
<i>http</i>	<i>No Authorization Required</i>	<i>Clust Node 1</i>	<i>Allocate Twice</i>
<i>ftp</i>	<i>No Authorization Required</i>	<i>Clust Node 2</i>	<i>Allocate Once</i>
<i>SAP</i>	<i>Authorization Required</i>	<i>Clust Node 1</i>	<i>Allocate Once</i>

FIG. 5

Session Table

SRC MAC Add	SRC IP Add	SRC TCP Sock #	DEST SAN Add	Session Handle
<i>Rem Clnt1 MAC</i>	<i>Rem Clnt1 IP</i>	<i>Rem Clnt1 Sock #</i>	<i>Clust Node 1</i>	<i>Session Handle1</i>
<i>Rem Clnt2 MAC</i>	<i>Rem Clnt1 IP</i>	<i>Rem Clnt1 Sock #</i>	<i>Clust Node 2</i>	<i>Session Handle2</i>
<i>Rem Clnt2 MAC</i>	<i>Rem Clnt1 IP</i>	<i>Rem Clnt1 Sock #</i>	<i>Clust Node 3</i>	<i>Session Handle3</i>

FIG. 6

10039125, 070802

6/7

Broadcast from the Cluster Nodes:

0	1	2	3
Source IP Address			
Destination IP Address			
Priority		Cluster ID	
Packet Type		Function	
Router IP Address (N/A)			
Management Node IP Address (N/A)			
Source Port (N/A)		Destination Port (N/A)	

FIG. 7

Reply from the Router Node:

0	1	2	3
Source IP Address			
Destination IP Address			
Priority (N/A)		Cluster ID	
Packet Type		Function	
Router IP Address			
Management Node IP Address (N/A)			
Source Port (N/A)		Destination Port (N/A)	

FIG. 8

10039125.070802

Sent from the Router Node to the Cluster Nodes:

0 1 2 3

<i>Source IP Address</i>	
<i>Destination IP Address</i>	
<i>Priority (N/A)</i>	<i>Cluster ID</i>
<i>Packet Type</i>	<i>Function</i>
<i>Router IP Address</i>	
<i>Management Node IP Address</i>	
<i>Source Port (N/A)</i>	<i>Destination Port (N/A)</i>

FIG. 9

10039125.070802